

	Technology Readiness Level Definition
TRL 1	Basic Research: Initial scientific research has been conducted. Principles are qualitatively postulated and observed. Focus is on new discovery rather than applications.
TRL 2	Applied Research: Initial practical applications are identified. Potential of material or process to solve a problem, satisfy a need, or find application is confirmed.
TRL 3	Critical Function or Proof of Concept Established: Applied research advances and early stage development begins. Studies and laboratory measurements validate analytical predictions of separate elements of the technology.
TRL 4	Lab Testing/Validation of Alpha Prototype Component/Process: Design, development and lab testing of components/processes. Results provide evidence that performance targets may be attainable based on projected or modeled systems.
TRL 5	Laboratory Testing of Integrated/Semi-Integrated System: System Component and/or process validation is achieved in a relevant environment.
TRL 6	Prototype System Verified: System/process prototype demonstration in an operational environment (beta prototype system level).
TRL 7	Integrated Pilot System Demonstrated: System/process prototype demonstration in an operational environment (integrated pilot system level).
TRL 8	System Incorporated in Commercial Design: Actual system/process completed and qualified through test and demonstration (pre-commercial demonstration).
TRL 9	System Proven and Ready for Full Commercial Deployment: Actual system proven through successful operations in operating environment, and ready for full commercial deployment.

TECHNOLOGY READINESS LEVELS DEFINITIONS AND DESCRIPTIONS

TRL 1 Definition	TRL 1 Description
Basic Research. Initial scientific research begins. Examples include studies on basic material properties. Principles are qualitatively postulated and observed.	Basic principles are observed. Focus is on fundamental understanding of a material or process.
TRL 2 Definition	TRL 2 Description
Applied Research. Initial practical applications are identified. Potential of material or process to satisfy a technology need is confirmed.	Once basic principles are observed, practical applications can be identified. Applications are speculative, and there may be no proof or detailed analysis to support the assumptions. Examples are still limited to analytic studies. Supporting information includes publications or other references that outline the application being considered and that provide analysis to support the concept. The step up from TRL 1 to TRL 2 moves the ideas from basic to applied research. Most of the work is analytical or paper studies with the emphasis on understanding the science better. Experimental work is designed to corroborate the basic scientific observations made during TRL 1 work.
TRL 3 Definition	TRL 3 Description
Critical Function, i.e., Proof of Concept Established. Applied research continues and early stage development begins. Includes studies and initial laboratory measurements to validate analytical predictions of separate elements of the technology. Examples include research on materials, components, or processes that are not yet integrated.	Analytical studies and laboratory-scale studies are designed to physically validate the predictions of separate elements of the technology. Supporting information includes results of laboratory tests performed to measure parameters of interest and comparison to analytical predictions for critical components. At TRL 3 experimental work is intended to verify that the concept works as expected. Components of the technology are validated, but there is no strong attempt to integrate the components into a complete system. Modeling and simulation may be used to complement physical experiments.
TRL 4 Definition	TRL 4 Description
Laboratory Testing/Validation of Alpha Prototype Component/Process. Design, development and lab testing of technological components are performed. Results provide evidence that applicable component/process performance targets may be attainable based on projected or modeled systems.	The basic technological components are integrated to establish that the pieces will work together. This is relatively "low fidelity" compared with the eventual system. Supporting information includes the results of the integrated experiments and estimates of how the experimental components and experimental test results differ from the expected system performance goals. TRL 4-6 represent the bridge from scientific research to engineering, from development to demonstration. TRL 4 is the first step in determining whether the individual components will work together as a system. The goal of TRL 4 should be the narrowing of possible options in the complete system.

TECHNOLOGY READINESS LEVELS DEFINITIONS AND DESCRIPTIONS

TRL 5 Definition	TRL 5 Description
Laboratory Testing of Integrated/Semi-Integrated System. Component and/or process validation in relevant environment- (Beta prototype component level).	The basic technological components are integrated so that the system configuration is similar to (matches) the final application in almost all respects. Supporting information includes results from the laboratory scale testing, analysis of the differences between the laboratory and eventual operating system/environment, and analysis of what the experimental results mean for the eventual operating system/environment. The major difference between TRL 4 and 5 is the increase in the fidelity of the system and environment to the actual application. The system tested is almost prototypical. Scientific risk should be retired at the end of TRL 5. Results presented should be statistically relevant.
TRL 6 Definition	TRL 6 Description
Prototype System Verified. System/process prototype demonstration in an operational environment- (Beta prototype system level).	Engineering-scale models or prototypes are tested in a relevant environment. This represents a major step up in a technology's demonstrated readiness. Examples include fabrication of the device on an engineering pilot line. Supporting information includes results from the engineering scale testing and analysis of the differences between the engineering scale, prototypical system/environment, and analysis of what the experimental results mean for the eventual operating system/environment. TRL 6 begins true engineering development of the technology as an operational system. The major difference between TRL 5 and 6 is the step up from laboratory scale to engineering scale and the determination of scaling factors that will enable design of the final system. The engineering pilot scale demonstration should be capable of performing all the functions that will be required of a full manufacturing system. The operating environment for the testing should closely represent the actual operating environment. Refinement of the cost model is expected at this stage based on new learning from the pilot line. The goal while in TRL 6 is to reduce engineering risk. Results presented should be statistically relevant.
TRL 7 Definition	TRL 7 Description
Integrated Pilot System Demonstrated. System/process prototype demonstration in an operational environment-(integrated pilot system level).	This represents a major step up from TRL 6, requiring demonstration of an actual system prototype in a relevant environment. Final design is virtually complete. The goal of this stage is to retire engineering and manufacturing risk. To credibly achieve this goal and exit TRL 7, scale is required as many significant engineering and manufacturing issues can surface during the transition between TRL 6 and 7.

TECHNOLOGY READINESS LEVELS DEFINITIONS AND DESCRIPTIONS

TRL 8 Definition	TRL 8 Description
System Incorporated in Commercial Design. Actual system/process completed and qualified through test and demonstration- (Pre-commercial demonstration).	The technology has been proven to work in its final form and under expected conditions. In almost all cases, this TRL represents the end of true system development. Examples include full scale volume manufacturing of commercial end product. True manufacturing costs will be determined and deltas to models will need to be highlighted and plans developed to address them. Product performance delta to plan needs to be highlighted and plans to close the gap will need to be developed.
TRL 9 Definition	TRL 9 Description
System Proven and Ready for Full Commercial Deployment. Actual system proven through successful operations in operating environment, and ready for full commercial deployment.	The technology is in its final form and operated under the full range of operating conditions. Examples include steady state 24/7 manufacturing meeting cost, yield, and output targets. Emphasis shifts toward statistical process control.